JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 419 (1991)

AUTHOR INDEX

Abel, E.W., (419) 375
Aizpurua, J.-M., (419) C1
Alcock, N.W., (419) C23
Alt, H.G., (419) 101
Andriamizaka, J.-D., (419) 57
Arce, A.J., (419) 63
Arena, C.G., (419) 399

Baird, M.C., (419) 403
Barker, J., (419) C23
Bartik, T., (419) 205
Batsanov, A.S., (419) 277
Battaglia, G., (419) 399
Belsky, V.K., (419) 299, 311
Benedetti, A., (419) 205
Bitterwolf, T.E., (419) 113
Blacker, N.C., (419) C23
Brown, S.J., (419) 403
Bulychev, B.M., (419) 299, 311

Cabiddu, S., (419) 1
Carreño, R., (419) 163
Cavell, K.J., (419) 259
Chattopadhyay, T.K., (419) 277
Chelain, E., (419) C5
Cheng, Y., (419) 293
Cooke, K.M., (419) 171
Corriu, R.J.P., (419) 9
Couret, C., (419) 57
Cunningham, D., (419) C18

Daran, J.C., (419) 43, C5
Davidson, J.L., (419) 137
Deeming, A.J., (419) 63
De Sanctis, Y., (419) 63
Downs, A.J., (419) 151
Dunn, J.A., (419) 383
Dunoguès, J., (419) C1

Eber, B., (419) 43
Emmerich, C., (419) 43
Escudié, J., (419) 57

Faraone, F., (419) 399
Fattuoni, C., (419) 1
Ferguson, G., (419) 269, 283
Floris, C., (419) 1
Fortier, S., (419) 403
Fulwood, R., (419) 269

Galamb, V., (419) 205
Gales, S.L., (419) C10
Gelli, G., (419) 1
Giannoccaro, P., (419) 251
Glidewell, C., (419) 283
Gómez-Sal, P., (419) 77
Green, J.C., (419) 27
Greene, T.M., (419) 151
Grelier, S., (419) C1
Gun'ko, Y.K., (419) 299

Haász, F., (419) 205
Happ, B., (419) 205
Heim, B., (419) 43
Herberhold, M., (419) 85
Hirva, P., (419) 193
Hooker, R.H., (419) 101
Howard, P.W., (419) C14
Huang, J., (419) 337
Huang, Y.-Z., (419) 337
Huttner, G., (419) 43
Hwu, C.-C., (419) 341

Jeannin, Y., (419) 43
Jiang, H.-X., (419) 337
Jin, H., (419) 259

Kaim, W., (419) 233
Kaitner, B., (419) 283
Kallinen, K., (419) 219
Kaltner, B., (419) 269
Kee, T.P., (419) 171
Kelland, M.A., (419) 127
Knjazhanski, S.Y., (419) 311
Kolis, J.W., (419) C10
Kozima, S., (419) 181
Krümmling, T., (419) 205
Kumar, A.K., (419) 277

Ladwig, M., (419) 233
Langton, A.L., (419) 171
Lanneau, G.F., (419) 9
Laporterie, A., (419) 57
Li, H.-j., (419) 245
Liao, F.-L., (419) 325
Lin, Y., (419) 293
Lis, T., (419) 391
Lobkovsky, E.B., (419) 311
Long, N.J., (419) 375
Lott, K.A., (419) 113

Machado, R., (419) 63
MacHale, D., (419) C18
Mahmoud, K.A., (419) 101
Manning, A.R., (419) C18
Manuel, G., (419) 57
Martín, A., (419) 77
Mascetti, J., (419) 113
Mashima, K., (419) 181
Mastrorilli, P., (419) 251
McArdle, P., (419) C18
Mehta, V.D., (419) 9
Melis, S., (419) 1
Mena, M., (419) 77

Nagy, A., (419) 27
Nobile, C.F., (419) 251

Orrell, K.G., (419) 375
Osborne, A.G., (419) 375

Pakkanen, T.A., (419) 193, 219
Pakkanen, T.T., (419) 219
Palomo, C., (419) C1
Pályi, G., (419) 205
Parker, D., (419) 269
Parlier, A., (419) C5
Pauson, P.L., (419) 383
Pennington, W.T., (419) C10
Picard, J.-P., (419) C1
Piórko, A., (419) 357
Poli, R., (419) 127
Pursiainen, J., (419) 193, 219

Ravasio, N., (419) 251
Regitz, M., (419) 57
Renaud, E., (419) 403
Rest, A.J., (419) 101, 113
Riera, V., (419) 163

Rivas, C., (419) 63
Rossi, S., (419) 219
Rotondo, E., (419) 399
Roy, A., (419) 277
Royo, P., (419) 77
Rudler, H., (419) C5
Ruiz, M.A., (419) 163
Russell, R.B., (419) 403

Sakai, N., (419) 181
Schrepfermann, M., (419) 85
Serrano, R., (419) 77
Shamuratov, E.B., (419) 277
Shen, Q., (419) 293
Šik, V., (419) 375
Smith, S., (419) 283
Soloveichik, G.L., (419) 299, 311
Somlyai-Haász, J., (419) 205
Stephenson, G.R., (419) C14
Struchkov, Yu.T., (419) 277
Sutherland, R.G., (419) 357
Szepes, L., (419) 27
Szymańska-Buzar, T., (419) 151

Takaya, H., (419) 181
Taylor, S.C., (419) C14
Thornton-Pett, M., (419) 171
Trzeciak, A.M., (419) 391
Turnbull, M.M., (419) 245
Vaissermann, J., (419) C5

Wallbridge, M.G.H., (419) C23
Wang, S.-L., (419) 325
Wang, Y.-P., (419) 325
Wood, M.A.K., (419) 151

Yamaguchi, R., (419) 181
Yang, Y.-H., (419) 325
Yeh, M.-C.P., (419) 341

Zanathy, L., (419) 27
Zhang, C., (419) 357
Ziółkowski, J.J., (419) 391
Zucchi, C., (419) 205

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 419 (1991)

SUBJECT INDEX

Aluminium

Coordinationally oversaturated metallocene derivatives, crystal and molecular structure of $[(\eta^5\text{-}C_5H_5)_2Sm(\mu_3\text{-}H)]_2[(\mu_2\text{-}H)_2AlH\cdot N(C_2H_5)_3]_2$ and $[(\eta^5\text{-}C_5H_4{}^tBu)_2Sm]_2\text{-}(\mu_2\text{-}H)\mu\text{-}[(\mu_3\text{-}H)_2Al(\mu_2\text{-}H)_2\cdot Me_2NC_2H_4NMe_2]$ complexes (V.K. Belsky, Y.K. Gun'ko, B.M. Bulychev and G.L. Soloveichik), (419) 299

Homo- and heteronuclear hydrido lutetiecene complexes with bulky 1,3-di(tert-butyl)cyclopentadienyl ($C_5H_3{}^tBu_2$) ligands, molecular structure of $[({}^tBu_2C_5H_3)LuH]_4[AlH_4\cdot Et_2O]_2[AlH_4]_2$ (S.Y. Knjazhanski, E.B. Lobkovsky, B.M. Bulychev, V.K. Belsky and G.L. Soloveichik), (419) 311

Antimony

Group 15 organometallics, high metal coordination numbers in; crystal structures of triphenylbismuth-bis(trifluoroacetate) and triphenylantimonybis(trifluoroacetate) (G. Ferguson, B. Kaitner, C. Glidewell and S. Smith), (419) 283

Bismuth

Group 15 organometallics, high metal coordination numbers in; crystal structures of triphenylbismuth-bis(trifluoroacetate) and triphenylantimonybis(trifluoroacetate) (G. Ferguson, B. Kaitner, C. Glidewell and S. Smith), (419) 283

Chromium

Enaminoketene and arenetricarbonyl nitrogen ylid chromium complexes, successive formation during intramolecular alkyne insertions into aminocarbene complexes (E. Chelain, A. Parlier, H. Rudler, J.C. Daran and J. Vaissermann), (419) C5

(η^5-Cyclopentadienyl)tricarbonylmethylchromium, photochemistry in gas matrices and polymer films at 12–298 K; infrared spectroscopic evidence for reversible carbon monoxide ejection and α-H elimination from the methyl group (R.H. Hooker, K.A. Mahmoud, A.J. Rest and H.G. Alt), (419) 101

Group VI metal carbonyls, $(\eta^6\text{-}C_6H_6)Cr(CO)_3$, $(\eta^5\text{-}C_5H_5)Mn(CO)_3$, $(\eta^5\text{-}CH_3C_5H_4)Mn(CO)_3$ and $(\eta^5\text{-}C_5H_5)Re(CO)_3$, photolysis in Nujol at 77 K (T.E. Bitterwolf, K.A. Lott, A.J. Rest and J. Mascetti), (419) 113

$[\eta^5\text{-}(C_5H_4COOCH_3)]Cr(NO)_2L$ (L = Cl, I, CH_3), syntheses and spectra of; crystal structures of $[\eta^5\text{-}(C_5H_4COOCH_3)]Cr(NO)_2L$ (L = Cl, I) (Y.-P. Wang, Y.-H. Yang, S.-L. Wang and F.-L. Liao), (419) 325

Tricarbonyl(benzene)chromium and ferrocene containing unsaturated amides and nitriles, preparation of (J. Huang, H.-X. Jiang and Y.-Z. Huang), (419) 337

Cobalt

$[RuCo_3H(CO)_{12}]$, disordered crystal structure of (J. Pursiainen, P. Hirva and T.A. Pakkanen), (419) 193

Alkylcobalt carbonyls, ligand-assisted carbonylation–decarbonylation reactions of (J. Somlyai-Haász, F. Haász, V. Galamb, A. Benedetti, C. Zucchi, G. Pályi, T. Krümmling, B. Happ and T. Bartik), (419) 205

Some chiral alkyne-cobalt complexes (J.A. Dunn and P.L. Pauson), (419) 383

Gadolinium

Methylbis(t-butyl-cyclopentadienyl)neodymium and -gadolinium, preparation and molecular structure of (Q. Shen, Y. Cheng and Y. Lin), (419) 293

Gallium

Mono- and di-methyl gallium tetraaza macrocycles [MeGa($C_{22}H_{22}N_4$)] and [Me_2Ga($C_{22}H_{23}N_4$)], synthesis of; molecular structure of the dimethyl derivative (N.W. Alcock, N.C. Blacker, M.G.H. Wallbridge and J. Barker), (419) C23

Germanium

A new spirogermole: its synthesis, and some aspects of its reactivity (J.-D. Andriamizaka, C. Couret, J. Escudié, A. Laporterie, G. Manuel and M. Regitz), (419) 57

Iron

Opening of cluster frameworks, increase in skeletal electrons via amino substituents (B. Eber, G. Huttner, C. Emmerich, J.C. Daran, B. Heim and Y. Jeannin), (419) 43

Tricarbonyliron complex of tricyclo[5.3.1.$0^{4,9}$]undeca-2,5-diene, a strongly homo-conjugated nonparallel 1,4-diene; preparation, structure, and reaction of (N. Sakai, K. Mashima, H. Takaya, R. Yamaguchi and S. Kozima), (419) 181

Alkyl-Fp [Fp = (C_5H_5)Fe($CO)_2$] complexes, preparation via organometallic reagents; reactions of RMgX and RLi with Fp–I and Fp–THF$^+$ BF_4^- (H.-j. Li and M.M. Turnbull), (419) 245

Tricarbonyl(benzene)chromium and ferrocene containing unsaturated amides and nitriles, preparation of (J. Huang, H.-X. Jiang and Y.-Z. Huang), (419) 337

Tricarbonyl(η^1,η^2-but-3-en-1-yl)iron(0) anion complexes, bromination and alkylation of (M.-C.P. Yeh and C.-C. Hwu), (419) 341

Cyclopentadienyliron-mediated introduction of functionalized alkyl or alkynyl groups to arenes in an addition–demetallation sequence (R.G. Sutherland, C. Zhang and A. Piórko), (419) 357

Tricarbonyliron complexes, regioselective access to; controlled preparation and reactions of trifluoromethyl-substituted complexes (G.R. Stephenson, P.W. Howard and S.C. Taylor), (419) C14

[(η^5-C_5Me_5)Fe($CO)_3$][BF_4], direct observation of ion pair formation in dichloromethane solution and the crystal structure of (P. McArdle, D. MacHale, D. Cunningham and A.R. Manning), (419) C18

Lithium

(Alkylthio)fluorobenzenes, regioselective metalation of (S. Cabiddu, C. Fattuoni, C. Floris, G. Gelli and S. Melis), (419) 1

Lutetium

Homo- and heteronuclear hydrido lutetiecene complexes with bulky 1,3-di(tert-butyl)cyclopentadienyl ($C_5H_3{}^tBu_2$) ligands, molecular structure of [($^tBu_2C_5H_3$)LuH]$_4$[$AlH_4 \cdot Et_2O$]$_2$[AlH_4]$_2$ (S.Y. Knjazhanski, E.B. Lobkovsky, B.M. Bulychev, V.K. Belsky and G.L. Soloveichik), (419) 311

Manganese

Group VI metal carbonyls, (η^6-C_6H_6)Cr($CO)_3$, (η^5-C_5H_5)Mn($CO)_3$, (η^5-$CH_3C_5H_4$)Mn($CO)_3$ and (η^5-C_5H_5)Re($CO)_3$, photolysis in Nujol at 77 K (T.E. Bitterwolf, K.A. Lott, A.J. Rest and J. Mascetti), (419) 113

Unsaturated dihydrides [Mn_2(μ-H)$_2$($CO)_6$(μ-L_2)] (L_2 = $(EtO)_2POP(OEt)_2$, $Ph_2PCH_2PPh_2$), reactions with phosphines containing P–H bonds (R. Carreño, V. Riera and M.A. Ruiz), (419) 163

Silylphosphinites and their complexation to manganese, crystal structure of *cis*-MnBr($CO)_4$[P(4-$CH_3C_6H_4)_2OSiMe_3$] (K.M. Cooke, T.P. Kee, A.L. Langton and M. Thornton-Pett), (419) 171

Metallocenes

Homo- and heteronuclear hydrido lutetiecene complexes with bulky 1,3-di(tert-butyl)cyclopentadienyl ($C_5H_3{}^tBu_2$) ligands, molecular structure of [($^tBu_2C_5H_3$)LuH]$_4$[$AlH_4 \cdot Et_2O$]$_2$[AlH_4]$_2$ (S.Y. Knjazhanski, E.B. Lobkovsky, B.M. Bulychev, V.K. Belsky and G.L. Soloveichik), (419) 311

Tricarbonyl(benzene)chromium and ferrocene containing unsaturated amides and nitriles, preparation of (J. Huang, H.-X. Jiang and Y.-Z. Huang), (419) 337

Molybdenum

Group VI metal carbonyls, (η^6-C_6H_6)$Cr(CO)_3$, (η^5-C_5H_5)$Mn(CO)_3$, (η^5-$CH_3C_5H_4$)$Mn(CO)_3$ and (η^5-C_5H_5)$Re(CO)_3$, photolysis in Nujol at 77 K (T.E. Bitterwolf, K.A. Lott, A.J. Rest and J. Mascetti), (419) 113

Cyclopentadienyltrichloromolybdenum(IV), synthesis, characterization, and reactivity of; X-ray structure of $CpMoCl_3[P(OCH_2)_3CEt]_2$ (Cp = η^5-C_5H_5) (R. Poli and M.A. Kelland), (419) 127

Alkyne, cyclobutadiene and cyclopentadienone complexes of molybdenum and tungsten (J.L. Davidson), (419) 137

Organometallic compounds, oxidation with polychalcogenides; preparation and structure of $[(Me_5C_5)Mo(S_4)(S_2CO)]^-$ containing a dithiocarbonate ligand (S.L. Gales, W.T. Pennington and J.W. Kolis), (419) C10

Neodymium

Methylbis(t-butyl-cyclopentadienyl)neodymium and -gadolinium, preparation and molecular structure of (Q. Shen, Y. Cheng and Y. Lin), (419) 293

Nickel

Oxidative carbonylation of aliphatic amines catalysed by nickel-complexes (P. Giannoccaro, C.F. Nobile, P. Mastrorilli and N. Ravasio), (419) 251

Osmium

Trisulphur- and triselenium-bridged [3]metallocenophanes, comparison of the energy barriers to bridge reversal in (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne and V. Šik), (419) 375

Palladium

σ-Alkyl diketonato and monothio β-diketonato complexes of platinum(II) and palladium(II), synthesis of (H. Jin and K.J. Cavell), (419) 259

Phosphorus

Opening of cluster frameworks, increase in skeletal electrons via amino substituents (B. Eber, G. Huttner, C. Emmerich, J.C. Daran, B. Heim and Y. Jeannin), (419) 43

New family of water-soluble tertiary phosphine ligands and their rhodium(I) complexes, synthesis of; olefin hydrogenation in aqueous and biphasic media (E. Renaud, R.B. Russell, S. Fortier, S.J. Brown and M.C. Baird), (419) 403

Platinum

Chiral derivatising agent η^2-ethene platinum-DIOP, crystal structure and further applications of (R. Fulwood, D. Parker, G. Ferguson and B. Kaltner), (419) 269

Rhenium

Group VI metal carbonyls, (η^6-C_6H_6)$Cr(CO)_3$, (η^5-C_5H_5)$Mn(CO)_3$, (η^5-$CH_3C_5H_4$)$Mn(CO)_3$ and (η^5-C_5H_5)$Re(CO)_3$, photolysis in Nujol at 77 K (T.E. Bitterwolf, K.A. Lott, A.J. Rest and J. Mascetti), (419) 113

Rhodium

Dimethylsulfide derivatives of $[Rh_6(CO)_{16}]$, crystal structures of $[Rh_6(CO)_{15}(SMe_2)]$ and $[Rh_6(CO)_{12}(SMe_2)_4]$ (S. Rossi, K. Kallinen, J. Pursiainen, T.T. Pakkanen and T.A. Pakkanen), (419) 219

Isomeric bidiazine complexes $[(C_5Me_5)ClRh(bdz)]^+$ and $(C_5Me_5)Rh(bdz)$, spectroscopic and electrochemical properties of; their relevance to the catalysis of the $2\,H^+ \rightarrow H_2$ reaction by 2,2′-bipyridine analogues (M. Ladwig and W. Kaim), (419) 233

$RhCl(CO)(PR_3)_2$, substitution of CO by picolines and amines in; synthesis and crystal structure of *cis*-$RhCl(3\text{-pic})\{P(OPh)_3\}_2$ (A.M. Trzeciak, J.J. Ziółkowski and T. Lis), (419) 391

Rh^{I} square planar derivative, fast olefin site interchange of cycloocta-1,5-diene in (E. Rotondo, G. Battaglia, C.G. Arena and F. Faraone), (419) 399

New family of water-soluble tertiary phosphine ligands and their rhodium(I) complexes, synthesis of; olefin hydrogenation in aqueous and biphasic media (E. Renaud, R.B. Russell, S. Fortier, S.J. Brown and M.C. Baird), (419) 403

Ruthenium

Selenium and tellurium atoms from selenophene and tellurophene by reaction with trinuclear iron, ruthenium, and osmium clusters, extrusion of; crystal structures of $[Os_6(\mu\text{-}H)(\mu_3\text{-}Se)(\mu_4\text{-}C_4H_3)(CO)_{20}]$ and of $[Ru_4(\mu_3\text{-}Se)\mu\text{-}C_4H_4)(CO)_{11}]$ (A.J. Arce, R. Machado, C. Rivas, Y. De Sanctis and A.J. Deeming), (419) 63

$[RuCo_3H(CO)_{12}]$, disordered crystal structure of (J. Pursiainen, P. Hirva and T.A. Pakkanen), (419) 193

Trisulphur- and triselenium-bridged [3]metallocenophanes, comparison of the energy barriers to bridge reversal in (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne and V. Šik), (419) 375

Samarium

Coordinationally oversaturated metallocene derivatives, crystal and molecular structure of $[(\eta^5\text{-}C_5H_5)_2Sm(\mu_3\text{-}H)]_2[(\mu_2\text{-}H)_2AlH\cdot N(C_2H_5)_3]_2$ and $[(\eta^5\text{-}C_5H_4{}^tBu)_2Sm]_2\text{-}\ (\mu_2\text{-}H)\mu\text{-}[(\mu_3\text{-}H)_2Al(\mu_2\text{-}H)_2\cdot Me_2NC_2H_4NMe_2]$ complexes (V.K. Belsky, Y.K. Gun'ko, B.M. Bulychev and G.L. Soloveichik), (419) 299

Selenium

Selenium and tellurium atoms from selenophene and tellurophene by reaction with trinuclear iron, ruthenium, and osmium clusters, extrusion of; crystal structures of $[Os_6(\mu\text{-}H)(\mu_3\text{-}Se)(\mu_4\text{-}C_4H_3)(CO)_{20}]$ and of $[Ru_4(\mu_3\text{-}Se)\mu\text{-}C_4H_4)(CO)_{11}]$ (A.J. Arce, R. Machado, C. Rivas, Y. De Sanctis and A.J. Deeming), (419) 63

Silicon

Heterocumulenes, aminosilylation of; intramolecular decomposition of their silyl-functionalized adducts (R.J.P. Corriu, G.F. Lanneau and V.D. Mehta), (419) 9

Aminosilanes, HeI and HeII photoelectron spectroscopic investigation of substituent effects in (A. Nagy, J.C. Green, L. Szepes and L. Zanathy), (419) 27

Opening of cluster frameworks, increase in skeletal electrons via amino substituents (B. Eber, G. Huttner, C. Emmerich, J.C. Daran, B. Heim and Y. Jeannin), (419) 43

Bis(trimethylsilyl)methylamine, handy preparation of (J.-P. Picard, S. Grelier, J. Dunoguès, J.-M. Aizpurua and C. Palomo), (419) C1

Silylphosphinites and their complexation to manganese, crystal structure of *cis*-$MnBr(CO)_4[P(4\text{-}CH_3C_6H_4)_2OSiMe_3]$ (K.M. Cooke, T.P. Kee, A.L. Langton and M. Thornton-Pett), (419) 171

Tellurium

Selenium and tellurium atoms from selenophene and tellurophene by reaction with trinuclear iron, ruthenium, and osmium clusters, extrusion of; crystal structures of $[Os_6(\mu\text{-}H)(\mu_3\text{-}Se)(\mu_4\text{-}C_4H_3)(CO)_{20}]$ and of $[Ru_4(\mu_3\text{-}Se)\mu\text{-}C_4H_4)(CO)_{11}]$ (A.J. Arce, R. Machado, C. Rivas, Y. De Sanctis and A.J. Deeming), (419) 63

Tin

$Me_2SnCl_2\cdot(2\text{-}MeOC_6H_4N{=}CHC_5H_4N\text{-}2)$, synthesis and crystal structure of (T.K. Chattopadhyay, A.K. Kumar, A. Roy, A.S. Batsanov, E.B. Shamuratov and Yu.T. Struchkov), (419) 277

Titanium

Monopentamethylcyclopentadienyltitanium(IV) halo-alkoxides, alkyl-alkoxides and acetylacetonates (P. Gómez-Sal, A. Martín, M. Mena, P. Royo and R. Serrano), (419) 77

Tungsten

Group VI metal carbonyls, $(\eta^6\text{-}C_6H_6)Cr(CO)_3$, $(\eta^5\text{-}C_5H_5)Mn(CO)_3$, $(\eta^5\text{-}CH_3C_5H_4)Mn(CO)_3$ and $(\eta^5\text{-}C_5H_5)Re(CO)_3$, photolysis in Nujol at 77 K (T.E. Bitterwolf, K.A. Lott, A.J. Rest and J. Mascetti), (419) 113

Alkyne, cyclobutadiene and cyclopentadienone complexes of molybdenum and tungsten (J.L. Davidson), (419) 137

$W(CO)_6$, photochemical reaction with CCl_4; matrix-isolation studies of intermediates in (T. Szymańska-Buzar, A.J. Downs, T.M. Greene and M.A.K. Wood), (419) 151

Vanadium

Binuclear pentamethylcyclopentadienylvanadium complexes with tellurium bridges; use of ^{51}V NMR spectroscopy for identification of new vanadium complexes with different chalcogenes in the bridging system (M. Herberhold and M. Schrepfermann), (419) 85